# Package: slr (via r-universe)

August 28, 2024

| Version 1.3.0  |
|--|
| <b>Date</b> 2024-01-30   |
| Title Semi-Latin Rectangles  |
| Author Kaushal Kumar Yadav [aut], Sukanta Dash [aut], Baidya Nath<br>Mandal [aut, cre], Rajender Parsad [aut]  |
| Maintainer Baidya Nath Mandal <pre></pre>  |
| <b>Depends</b> R (>= $4.3.0$ )   |
| Imports MASS, ibd, gmp   |
| <b>Description</b> A facility to generate balanced semi-Latin rectangles with any cell size (preferably up to ten) with given number of treatments, see Uto, N.P. and Bailey, R.A. (2020). `Balanced Semi-Latin rectangles: properties, existence and constructions for block size two". Journal of Statistical Theory and Practice, 14(3), 1-11, <doi:10.1007 s42519-020-00118-3="">. It also provides facility to generate partially balanced semi-Latin rectangles for cell size 2, 3 and 4 for any number of treatments.</doi:10.1007> |
| Note This package is developed as part of ongoing Ph.D (Agricultural Statistics) thesis research work of first author at ICAR-Indian Agricultural Statistics Research Institute, New Delhi, India.   |
| License GPL (>= 2)   |
| NeedsCompilation no  |
| <b>Date/Publication</b> 2024-01-30 07:50:02 UTC  |
| Repository https://doer0.r-universe.dev  |
| RemoteUrl https://github.com/cran/slr  |
| RemoteRef HEAD   |
| <b>RemoteSha</b> 05e66c5a6a79452bf569535339daa22c7f63b6d8  |
| Contents   |
| bslr   |

2 bslr

| 4 |
|---|
| 5 |
| 5 |
| 6 |
| 8 |
|   |

bslr

Balanced semi-Latin rectangles for given number of treatments and cell size

## Description

This function generates a balanced semi-Latin rectangles for given number of treatments and cell size

## Usage

```
bslr(v, k)
```

## Arguments

v number of treatments

k cell size, preferably up to 10

## Value

design (Balanced semi-Latin rectangle of cell size k for v treatments

Avg.Effi Average efficiency of the design

### Author(s)

Kaushal Kumar Yadav <kaushalyadav0796@gmail.com>

## Examples

```
bslr(5, 2)
bslr(7, 3)
```

bslr.even 3

| bslr.even | Balanced semi-Latin rectangles for given cell size and even number of treatments |
|-----------|--|
|           |  |

## Description

This function generates a balanced semi-Latin rectangles for given cell size and even number of treatments

#### Usage

```
bslr.even(v, k)
```

#### **Arguments**

v number of treatments and is evenk cell size, preferably up to 10

## Value

design (Balanced semi-Latin rectangle of cell size two for v treatments

Avg.Effi Average efficiency of the design

## Author(s)

Sukanta Dash <sukanta.dash@icar.gov.in>

## **Examples**

```
bslr.even(4,2)
```

| bslr.gen | Balanced semi-Latin rectangles for given number of treatments and |
|----------|---|
|          | cell size   |

## Description

This function generates a balanced semi-Latin rectangles for given number of treatments and cell size

## Usage

```
bslr.gen(v, k)
```

4 bslr.odd

#### **Arguments**

v number of treatments

k cell size, preferably up to 10

#### Value

design (Balanced semi-Latin rectangle of cell size k with v treatments

Avg.Effi Average efficiency of the design

#### Author(s)

Kaushal Kumar Yadav <kaushalyadav0796@gmail.com>

#### **Examples**

```
bslr.gen(7, 4)
```

bslr.odd Balanced semi-Latin rectangles of for given cell size and odd number

of treatments

#### **Description**

This function generates a partially balanced semi-Latin rectangles for given cell size and odd number of treatments

#### Usage

```
bslr.odd(v,k)
```

## Arguments

v number of treatments and is oddk cell size, prerably up to 10

#### Value

design (Balanced semi-Latin rectangle of cell size two for v treatments

Avg.Effi Average efficiency of the design

#### Author(s)

Kaushal Kumar Yadav <kaushalyadav0796@gmail.com>

#### **Examples**

```
bslr.odd(5,2)
```

pbslr 5

| pbslr | Partially balanced semi-Latin rectangles of cell size two, three and four |
|-------|---|
|       |   |

## Description

This function generates a partially balanced semi-Latin rectangles of cell size two, three and four

## Usage

```
pbslr(v,k)
```

## Arguments

| V | number of treatments              |
|---|-----------------------------------|
| k | cell size, 2, 3 or 4 is supported |

#### Value

| design   | (Partially balanced semi-Latin rectangle of cell size two, three or four for v |
|----------|--|
|          | treatments   |
| Avg.Effi | Average efficiency of the design   |

## Author(s)

Rajender Parsad <rajender.parsad@icar.gov.in>

## Examples

```
pbslr(5, 2)
pbslr(6, 3)
```

| pbslr.even | Partially balanced semi-Latin rectangles of cell size two, three and |
|------------|--|
|            | four for even number of teratments                                   |

## Description

This function generates a partially balanced semi-Latin rectangles of cell size two, three and four for even number of treatments

#### Usage

```
pbslr.even(v,k)
```

6 pbslr.odd

### Arguments

v number of treatments and is evenk cell size, 2, 3 and 4 is supported

#### Value

design (Partially balanced semi-Latin rectangle of cell size two, three and four for v

treatments for even number of treatments

Avg.Effi Average efficiency of the design

#### Author(s)

Baidya Nath Mandal <mandal.stat@gmail.com>

#### **Examples**

```
pbslr.even(4,2)
pbslr.even(6,4)
```

pbslr.odd

Partially balanced semi-Latin rectangles of cell size two and three for odd number of teratments

#### **Description**

This function generates a partially balanced semi-Latin rectangles of cell size two and three for odd number of treatments

#### Usage

```
pbslr.odd(v,k)
```

#### **Arguments**

v number of treatments and is oddk cell size. Either 2 or 3 is supported

#### Value

design (Partially balanced semi-Latin rectangle of cell size two for v treatments for odd

number of treatments

Avg.Effi Average efficiency of the design

## Author(s)

Baidya Nath Mandal <mandal.stat@gmail.com>

pbslr.odd 7

## Examples

pbslr.odd(5,2)

## **Index**

```
\ast balanced
    bslr, 2
    bslr.even, 3
    bslr.gen, 3
    bslr.odd, 4
* partially balanced
    pbslr, 5
    pbslr.even, 5
    pbslr.odd, 6
*\ semi-Latin\ rectangle
    bslr, 2
    bslr.even, 3
    bslr.gen, 3
    \verb|bslr.odd|, 4
    pbslr, 5
    pbslr.even, 5
    pbslr.odd, 6
bslr, 2
bslr.even, 3
bslr.gen, 3
bslr.odd, 4
pbslr, 5
pbslr.even, 5
pbslr.odd, 6
```